





THE MOST DEPENDABLE NAME IN CONSTRUCTION EQUIPMENT RENTALS

Durante rents, sells and provides training to a wide range of customers from civil and general contractors, commercial and residential construction, specialty trades, government offices and agencies, to film and entertainment studios and sporting venues.







PRO ONE®
PROGRAM

OUR TOP RENTAL EQUIPMENT

Air Compressors & Tools • Concrete & Masonry Equipment
Earthmoving Equipment • Forklifts & Material Handling Equipment
Generators & Light Towers • Pumps & Dehumidifiers • Scissor & Boom Lifts
Specialty Equipment & Tools • Traffic Control Devices • Utility Vehicles

CALL US NOW!

1-800-DURANTE

EMAIL: INFO@DURANTERENTALS.COM



NOW IN DELAWARE!

MAY 1, 2023

Durante Rentals, LLC expands to Mid-Atlantic with the acquisition of Delaware-based equipment rental and dealer, Iron Source, LLC.

LOCATIONS

- NEW CASTLE, DE
- SMYRNA, DE
- GEORGETOWN, DE
- DELMAR, DE













BRAVI LEONARDO HD

- Easily driven through doorways, tight spaces and passenger elevators
- Drivable at full height, fully loaded and with the platform fully extended
- Unrestricted capacity 397 lbs
- Featherweight of only 1,170 lbs for the Indoor version and of 1,234 lbs for the Outdoor version

DYNAPAC CA2500D 12T SINGLE DRUM ROLLER

- Max. Operating mass 26,200 lbs
- Speed range 0 5 mph
- Static linear load 146 lbs/in
- Vibration frequency (high/low amplitude) 1,980 vpm/ 2,040 vpm
- Centrifugal force (high/low amplitude) 56,210 lb/ 29,230 lb

GRIZZLY FUEL CUBE

- Two sizes to choose from: 250 or 500-gallon capacity
- Stack 2 tanks full of fuel for improved storage
- Easily transportable and environmentally friendly
- Fuel two pieces of equipment simultaneously
- 12 volt transfer pump with filter, hose and meter standard

185 CFM COMPRESSOR • 185 cfm @ 100 psig

KAESER MOBILAIR M55

- Kuota D1803CR-T Tier 4 Final
- Sigma Control Smart pV
- 28 gallon diesel fuel tank
- Power @ full load 43
- Full Load Speed (rpm) 2300 2700
- Off Load Running Speed (rpm) 2100

KOMATSU KOM-FG45TU-10 SHOP FORKLIFT

- 10,000 lbs. lifting capacity
- Dual fuel power: LPG or gasoline
- Perfect for indoor or outdoor use
- Comfortable and fatigue-free operation over extended periods



MULTIQUIP 9CF STEEL MORTAR MIXERS

- Drum Capacity 9 cu. ft, 254.9 L, 21/2 31/2 bags
- Discharge Height 21 in\530 mm
- Dump Type Manual
- Power Source Baldor 3.0 HP 1 Ph 230V Electric

MEC 1330SE SCISSOR LIFT

- 13 ft. (4 m) Platform Height and 19 ft. (6 m) **Working Height**
- Fits on Most Elevators with Shortest Overall Length and Low GVW (Gross Vehicle Weight)
- 2-Person Platform with 530 lb. (240 kg) Capacity
- 24 in. (61 cm) Roll-Out Deck Extension with **Incremental Lock Positions**



- Power Supply: Battery 48V
- Removable Weight: 445 lb
- Voltage & Frequency: 115V/60Hz
- Speed: up to 160 ft/min







AERIAL EQUIPMENT

We have an extensive collection of aerial lifts in our rental fleet ready to take on your next job. Our newer fleet of rental units is the right choice for just about any application - indoors or out, on smooth or rough surfaces.



AERIAL LIFT GUIDE

HOW TO CHOOSE THE RIGHT LIFT FOR YOUR JOB



TYPE OF AERIAL LIFT

Identify the type of lift your job requires. Aerial lift equipment describes a broad range of lifts with varying lift heights, platform capacities and power options.



LIFT HEIGHT

Identify the maximum working height needed for your application. To get the maximum working height, add approximately 6 feet to the listed platform height to account for the operator.

Ex. a 19' scissor lift has a working height of 25'.



PLATFORM CAPACITY

How much weight do you need the lift to carry? If you plan to take tools, equipment or another person on the lift with you, make sure the platform or basket can handle the combined weight without exceeding recommended capacities.



TERRAIN TYPE

What type of surface terrain will you be working on? We have lifts for smooth surfaces like cement and blacktop, as well as rough terrain lifts for grass, gravel and dirt.



POWER SOURCE

Our aerial lifts can be manual (material lifts), battery powered (electric), gas or diesel power. Typically, larger equipment like boom lifts have diesel engines.

AERIAL LIFT SAFETY CHECKLIST

- A harness and lanyard are required for use with all aerial lifts to avoid falls and injury.
- Always perform a pre-inspection before operating any aerial lift. Look for leaks, frayed hoses, chipped or worn tires and anything else that may cause a dangerous situation.
- Keep both feet on the platform or basket floor at all times and avoid leaning over the rails or basket.
- Never operate a gas or diesel powered unit indoors without proper ventilation.
- Keep the platform or basket floor free from debris to avoid losing your footing and balance.
- Be aware of potholes, curbs, uneven pavement or other obstructions on the ground that may impede movement of the lift.
- Always wait until the lift is at ground level before dismounting or removing equipment and tools.
- Be aware of overhead obstructions like power lines, tree limbs, overpasses and bridges.
- Keep clear of the lift's moving parts while raising or repositioning the machine.

AERIAL WORK PLATFORMS

PLATFORM HEIGHT	WORKING HEIGHT	LIFT CAPACITY
25' f	31'	350 lbs.
30, 4	36'	350 lbs.
40' 🗲	46'	350 lbs.

AWP's or one-man push around lifts, are electric-powered, lightweight, easily maneuverable and fit through most doorways. Perfect for maintenance work and light construction.

BOOM LIFTS - ARTICULATED

PLATFORM HEIGHT	HORIZONTAL REACH	LIFT CAPACITY
30' (36') 🗲	21'	500 lbs.
40' (46') 🗲	23'	500 lbs.
45' (51') 🐴	25'	1,000 lbs.*
46' (52')	25'	500 lbs.
60' (66') 🗲 🥎	37'	500 lbs.
63' (69') 🤼	40'	500 lbs.
80' (86')	60'	500 lbs.
135' (141') 🐴	70'	600 lbs.

Extremely versatile with a combination of up, out and over positioning capabilities and outreach. High ground clearance, zero tail swing and self-leveling platforms.

*Xtra capacity units available upon request

SCISSOR LIFTS ELECTRIC (SLAB)

PLATFORM HEIGHT	WIDTH	LIFT CAPACITY
19' (25') 🗲	30"	500 lbs.
26' (32') 🗲	32"	500 lbs.
32' (38') 🗲	32"	500 lbs.
32' (38') 🗲	46"	700 lbs.
40' (46') 🗲	47"	550 lbs.
45' (51') 🗲	49"	500 lbs.

SCISSOR LIFTS ROUGH TERRAIN (DIESEL)

		•	•
PLATFORM HEIGHT	WIDTH	LIFT CAPACITY	
32' (38') 🐴 🛎	68"	1,000 lbs.	
40' (46') 🐴 🗻	69"	800 lbs.	
60' (66') 🐴 🚕	92"	1,200 lbs.	

Our electric or diesel rough terrain scissor lifts can handle just about any job, indoors or out. These self-propelled lifts are easy to maneuver in tight spaces and come in various height options from 19-60 feet.

ATRIUM LIFTS

PLATFORM HEIGHT	HORIZONTAL REACH	LIFT CAPACITY	
43' (49') 🗲	21.7'	500 lbs.	L
56' (62') * *	32'	440 lbs	-
60' (66') f	30'	500 lbs.	T
72' (78') *	39.4'	551 lbs.	
77' (83') 🗲	43'	500 lbs.	

Atrium lifts (spider lifts) are ideal for aerial applications where space is limited. Their smaller footprint allows them to fit through tight spaces such as doorways and areas that require maneuverability, such as around power lines and trees.

BOOM LIFTS - STRAIGHT

PLATFORM HEIGHT	HORIZONTAL REACH	LIFT CAPACITY	
60' (66')	51'	1,000 lbs.*	
65' (71')	56'	500 lbs.	100
66' (72')	57'	500 lbs.	-
85' (91')	76'	500 lbs.	
120' (126') 🐴	75'	500 lbs.	
125' (131')	80'	500 lbs.	
135' (141')	90'	1,000 lbs.*	
150' (156') 🐴	80'	750 lbs.	
180' (186') 🐴	80'	750 lbs.	

Maximum working height up to 186'. They are great for areas with limited access and offer minimal tail swing for easy maneuvering in tight spaces.

*Xtra capacity units available upon request

VERTICAL MAST LIFTS

PLATFORM HEIGHT	WORKING HEIGHT	LIFT CAPACITY	
12' 🗲	18'	500 lbs.	
16' *	22'	500 lbs.	
20' 🗲	26'	350 lbs.	
26' [8' 8" Horizontal Reach] 🗲	32'	500 lbs.	

Vertical mast lifts are self-propelled, compact, electric lifts that are narrow enough to fit through most doorways and elevators. They are drivable at full height and offer superior maneuverability.

Flectric Rough Terrain () Working Height

Diesel Fuel Fig. Hybrid Lift

*It shall be the renter's responsibility to abide by all OSHA and ANSI rules and regulations, including but not limited to operator training, familiarization and wearing of any safety equipment such as lanyards, harnesses and safety hats.

AIR COMPRESSORS & AIR TOOLS

Our portable air compressors range from 185 CFM up to 400 CFM. We also carry an array of air tools such as paving breakers, chipping hammers, clay diggers, rivet busters, sinker drills, rock splitters, sandblasters, and concrete walk-behind saws.



AIR COMPRESSORS

CFM	ENGINE	WORKING PRESSURE
185	41 HP Kubota Diesel	100 psig
210	49 HP Kubota Diesel	100 psig
375	111 HP Perkins Diesel	100 psig
400	115 HP Cummins Diesel	100 psig

- Heavy-duty performance in a lightweight, compact design
- Rotomolded canopy design provides extremely low noise levels
- Transparent 21-58 gallon fuel tanks that won't leave you guessing
- Quiet and easy to use with straightforward control panels



HYDRAULIC ROCK SPLITTERS

- For heavy-duty breaking of large rocks, stone, and concrete
- Operates at 7,100 PSI with a splitting force of 413 tons
- Includes the power pack powered by a 10,000 PSI pump
- Lightweight and powerful without the vibration, noise, or dust of paving breakers or hydraulic chisels



PAVING BREAKERS

Sizes: 30, 40, 60, and 90 lbs.

Uses: Demolition, bridge work, construction, renovation, street repairs and road work



CHIPPING HAMMERS

Sizes: 15 and 18 lbs.

Uses: Construction and industrial applications including chipping and scaling



RIVET BUSTERS

Sizes: 8" or 11"

Uses: Removing rivets in metal and concrete applications



CLAY DIGGERS

Sizes: 35 lbs.

Uses: Clay digging and rock-breaking

applications



SAND BLASTERS

Size: 600 lbs.

Uses: Remove contamination, corrosion, mill scale, and coatings from most surfaces



SINKER/ROCK DRILLS

Sizes: 15, 35, and 55 lbs.

Uses: Ideal for all "hand-held" drilling operations like drilling holes in concrete, bricks or rock

AIR HANDLING EQUIPMENT

Our selection of air handling equipment can help you cool, heat, dry, clean, and dehumidify the air. All our air handling equipment is industrial strength, easy to transport, and will help adjust your air to acceptable standards.



AIR SCRUBBERS & NEGATIVE AIR MACHINES

- Provides relief from viruses, allergy, asthma, sinus problems, mold spores, pathogens, chemical irritations and other indoor pollutants
- Removes airborne particles down to
 .3 micron in size utilizing HEPA filters
- Used for new construction to reduce air born dust
- Units operate with 99.97% efficiency and up to 1,950 CFM of air flow



FLOOR DRYERS

- Accelerates evaporation rates to dry all types of flooring
- 1 HP, 3-speed electric motor to meet any job requirement
- 25' power cord for re-positioning to dry entire floor
- Lightweight with low 72 dB noise level for noise sensitive jobs
- Air Flow of 3,800 CFM



PORTABLE AIR CONDITIONERS

- 11,000 BTU/h cooling capacity
- Includes a flexible duct outlet for pinpoint spot cooling
- Single phase, 15V, 60Hz
- Up to 283 CFM air flow velocity
- Utilizes common R22 refrigerant



FLOOR FANS

- Sizes ranging from 30" to 42"
- CFM high up to 12,100 with 115 Voltage
- Steel wheels with rubber tires and pull handle for portability
- Durable 10' cord with 3 prong plug
- Large aluminum blades for high volume air movement



DEHUMIDIFIERS

- Water removal capacity up to 254 pints a day
- Air flow range from 150 450 CFM
- Fully portable design and semi-pneumatic wheels
- Automatic condensation pump for continuous water removal
- 115V power for use with standard household outlets



VENT BLOWERS

- 1.0 HP, 115 VAC, 60 HZ, single speed electric motor
- Free air flow 1.825 CFM
- For ventilation use in non-hazardous defined locations
- 12" inlet and outlet diameter with molded thermoplastic housing



BACKHOE LOADERS

Our fleet of backhoe loaders are powerful & versatile, offering the latest in operator comfort, performance, and fuel efficiency. We offer full-size models for just about every job including construction, demolition, excavation, landscaping, and more.



FULL SIZE BACKHOE LOADER

ENGINE 14'7" 74 HP Diesel 7,670 lbs.

LIFT CAPACITY

• Ergonomically designed to enable a fatigue-free, productive day's work

DIG DEPTH

- Powerful EcoMax diesel engine offers low noise, less emissions, and significant fuel savings
- Simple-to-use manual excavator controls
- Innovative scoop design allows operator to see right into the trench while excavating
- SmoothRide System (SRS) minimizes bounce during travel while guaranteeing less material spillage

JUMPING JACK RAMMERS

- 11" x 13" shoes
- "No-Mix" fuel system
- 700 blows-per-minute
- 1,765 square ft/hr surface capacity



PLATE TAMPERS

- 2,275 lbs. to 12,364 lbs. of compaction force
- Gas or diesel-powered engines
- 13.8" to 21" plate widths
- Forward or reversible



REMOTE CONTROL TRENCH ROLLERS

- 7,688 lbs. to 15,377 lbs. of compaction force
- Diesel-powered engines
- 32" drum widths
- 10,654 square ft/hr surface capacity



SINGLE & DOUBLE DRUM ROLLERS

- 3,800 lbs. to 56,210 lbs. of compaction force
- Gas or diesel-powered soil and asphalt rollers
- 35" to 84" drum widths
- Rear drum shock mounts minimize operator platform vibration



WALK-BEHIND VIBRATORY ROLLERS

- 5,300 lbs. to 6,600 lbs. of compaction force
- Powerful diesel-powered engines
- 26" to 31" drum widths
- VPM's up to 3,300 lbs.



COMPACTION EQUIPMENT

Our fleet of vibratory compaction equipment is perfect for both big or small compaction jobs, including trenches, backfills, foundations, paving, road and sidewalk work. Satisfy your compaction needs for all surface types, from asphalt, sand, and gravel to granular, mixed, and cohesive soils.



CONCRETE EQUIPMENT & TOOLS


We have the concrete equipment and tools you need, whether you're pouring, cutting, transporting, vibrating, mixing, or grinding concrete. Ask about our selection of masonry saws and concrete diamond blades.

CONCRETE BUGGIES



- Walk-behind, push, or ride-on options
- 8, 16, or 21 cubic foot capacities
- Manual, electric, or gas-powered wheel or track units

CONCRETE



- Square corners and narrow, deep, straight cuts up to 16"
- 6.5HP gasoline powered 2-stroke engine


CONCRETE & OF MORTAR MIXERS

- Portable, electric-utility or gas-powered tow-behind
- 3, 9, or 12 cubic foot capacities
- Steel or poly drum

CORE DRILLS

- Electric, hand-held drills or full drill rigs
- 1" to 12" core bits (extensions available)
- Vacuum pumps available

ELECTRIC HAMMERS



- Electric corded units with either 35 or 60 lbs. of impact energy
- 115/120V AC/DC, 15 amp outlet or 2,500W generator





- Electric or gas-powered units
- 8" walk-behind scarifiers
- Single or dual disk floor grinders

MATERIAL SPRAYERS



- Spray or pump grout, fire-proofing, stucco, plaster, and more
- Spray or pump up to 3.5 gallons per minute through 85' of 1" hose
- 115V motor pushes 300 PSI from a 12.5 gallon hopper

POWER SCREEDS

- Gas-powered 4-stroke engines
- 8', 10', 12', 14', or 16' screed bars available
- Easily adjustable for maximum comfort and 75% less vibration





- Choice of finish, combo or float blades
- Powered by 4-stroke gas engine


REBAR BENDERS & CUTTERS

- Bend rebar up to 1", up to 180 degrees in seconds
- Rebar cutters cut up to 1" faster than torches, saws, or manual cutters
- Both equipped with 115V, single-phase, electric motors

VIBRATORS &

- Powerful 3HP electric units
- 7', 10', 14' or 20' shafts available
- 1", 1 3/8", 1.75" or 2" heads available

WALK-BEHIND SAWS



- Diesel, gas, pneumatic or electric options
- 6" early entry saws available







Our battery powered, electric, and solar powered equipment are perfect for all your indoor or outdoor applications. Work quieter and cleaner. Save money. Save the environment.

4 Electric

Battery Powered





Horsepower



SCRAPERS

hardwood, VCT and more

6 to 7 hours of use per charge

doorways and elevators

very first pass

• Removes carpet, ceramic tile, sheet vinyl,

Battery-powered with zero emissions

Sleek design fits through most standard

Attachments included with every rental

• Removes up to 80-90% of floor coverings on

RIDE-ON FLOOR



- Easily move dirt, rock, sand, debris, small rubble, cement, gravel, sludge, and more
- Powered by reliable 2HP electric Baldor motors
- 16', 21', or 26' long and 18" wide with 2" cleats spaced 48" apart
- Multiple sections can be assembled together for added length
- Optional hoppers and wheel dollys available



ELECTRIC MINI EXCAVATORS Ø 4

2 ,000 lbs.	3,600 lbs.	4,277 lbs.
5' 2"	7' 0"	7' 10"
♣ 5 HP	15 HP	14.2 HP

- Perfect for indoor use
- Produces zero emissions
- Virtually silent
- Hydraulic controlled
- Save money on gas
- Hybrid model with both diesel and electric motors



ELECTRIC HYBRID BOOM LIFTS Ø 4

- Dual fuel electric battery or diesel-powered
- Perfect for indoor or outdoor use
- Low noise output
- Environmentally friendly



- 8 hours of work between battery charges
- Perfect for indoor demo jobs
- Only 30" wide and 47" high
- Powerful electric motor
- Extremely quiet with zero fumes
- Just as powerful as gas or diesel skid steers

- Zero noise
- Powered by the sun
- Maintenance free
- Requires no fuel, oil or coolant
- Lightweight and easy to position
- Save money on fuel costs









EXCAVATORS

We offer a wide selection of excavators ranging in operating weight from 2,370 lbs. to 34,480 lbs. Our excavators include a full lineup of the latest features to meet all your digging needs. Ask about our assortment of attachments for your excavator rental, such as hydraulic thumbs, hammers, and more.

TB210	
OPERATING WEIGHT	Dig Depth
2,370 lbs.	5' 9.1"



TB240	
OPERATING WEIGHT	Dig Depth
8,570 lbs.	11' 4.4"



OPERATING	Dig
WEIGHT	Depth
3,902 lbs.	7' 10"

*Ask about our TB216H electric/diesel hybrid excavators

	M		-	
1	3	1		Ì
W.			b	
_	1		i i	
_	4	470		•

TB260	
OPERATING	Dig
WEIGHT	Depth
12.180 lbs.	12' 9.4"



TB230	
OPERATING	

OPERATING Dig WEIGHT Depth 6,360 lbs. 9' 3.6"



TB290	
OPERATING WEIGHT	Dig Depth
18,630 lbs.	15' 0"



Ŧ	B 23	<u></u>
	D43	3

OPERATING	Dig
WEIGHT	Depth
7,253 lbs.	10' 8"



TB2150	Ö
OPERATING WEIGHT	Dig Depth
34,480 lbs.	18' 0"





DEMOLITION SAWS

We carry a large selection of concrete demo saws from two of the most respected names in the industry, Husqvarna and STIHL. These high-performance, compact and lightweight saws offer cutting depths up to 16". Ask about our huge selection of Diamond Blades for applications up to 36".



TS420 14" DEMO CONCRETE SAW *STIHL*

- Compact & lightweight with 14" cutting wheel for up to 4.9" in depth
- X2 air filtration system for clean and smooth-running engine



K760 CUT & BREAK SAW (ii) ^^

- Exceptional cutting depth of 16"
- 2 high-speed diamond blades



K770 14" DEMO CONCRETE SAW 🗓

- Lightweight, all-purpose cutter with 5" cutting depth
- Outstanding power-to-weight ratio with low vibrations



K3000 CUT & BREAK SAW # 4

- Exceptional cutting depth of 16"
- Ergonomically designed rear handle



K970 14" & 16" DEMO CONCRETE SAW 🗓

- Sturdy, reliable, light and powerful with 5" cutting depth
- Capable of withstanding tough climate and fuel variations



K3000 WET CUT OFF SAW # 4

- Optional vac for wet & dry cutting
- Forward rotating blade

GENERATORS & GENSETS

Our portable generators provide reliable power in the most demanding conditions. Our generators are popular with general contractors, special event promoters, and anyone looking for portable standby or emergency power.



TOW BEHIND MOBILE GENSETS

POWER	RUN TIME PER TANK	SOUND LEVEL (23FT.)
25 kVA	24.15 hours	65 db
45 kVA	27.2 hours	67.2 db
70 kVA	50.4 hours	69.2 db
120 kVA	31 hours	70.6 db
130 kVA	25.6 hours	69.6 db
230 kVA	26.1 hours	73 db
320 kVA	25.7 hours	80.3 db
	-	· · · · · · · · · · · · · · · · · · ·

- Diesel-powered units with run times up to 50 hours
- Power options from 25kVA to 300kVA
- Heavy-duty units perfect for construction, commercial, special event and emergency use
- Heavy-duty and road ready trailers with easy pintle hitch attach
- Easy operation with simple one-switch start



PORTABLE GENERATORS

PC	WER	AMPS (120V/240V)	RUN TIME PER TANK	SOUND LEVEL (23FT.)
Q	1,700 W	13.8, n/a	3.5 hours	59 db
Q	2,00 W	16,7, n/a	8.1 hours	59 db
	2,500 W	20.8 n/a	8.9 hours	74 db
Q	3,200 W	23.3, n/a	7.6 hours	63 db
	3,600 W	30/15	9 hours	76 db
	4,300 W	35/17.9	8.4 hours	63 db
	6,000 W	50/25	5.7 hours	79 db
	8,000 W	66.6/33/3	11 hours	80 db
	9,700 W	80.8/40.4	8 hours	79 db

- Power options from 1,700 Watts to 9,700 Watts
- Lightweight for easy transport and set up
- Twin duplex receptacles & 3 twist-lock receptacles for versatility
- Dependable, newer units won't let you down during emergencies
- Gas powered units with run times up to 11 hours
- Super-quiet & lightweight inverter generators available (1700-3200 W)
- **Q** Quiet models

MATERIAL HANDLING

Our material handling fleet helps lift and move a variety of materials up to 12,000 lbs. easily and safely. They are perfect for both indoor and outdoor applications at warehouses, construction sites, distribution centers, recycling centers, and more.



TELESCOPIC TELEHANDLERS

LIFTING HEIGHT	FORWARD REACH	LIFT CAPACITY
19'	11'	5,500 lbs.
42'	28'	7,000 – 9,000 lbs.
44'	27'	8,000 lbs.
56' 10"	42'	10,000 lbs.
56'	42'	12,000 lbs.
66'	52'	8,500 lbs.
79' (360°)	67'	8,810 lbs.

Ask about our 360° full-rotation telehandler

- Maximum lift capacities from 5,500 lbs. to 12,00lbs.
- Maximum lift heights from 19' to 79'
- Forward reach from 11' to 67' for moving loads over obstacles
- All units equipped with powerful turbocharged diesel engines
- 4WD for rough terrain applications
- Power-assisted steering for quick and easy maneuverability
- 4WD for rough terrain applications



COUNTERBALANCED SHOP FORKLIFTS

- Dual fuel option choose between gas or LPG (propane) power
- 5,000 lbs. 10,000 lbs. maximum lift load capacity
- Good for both indoor or outdoor lifting
- Increased visibility design for maximum safety



PALLET JACKS (MANUAL OR ELECTRIC)

- Electric, battery-powered units with 6-hours run time capacity
- 6,000 lbs. maximum lifting capacity
- Heavy-duty 48" steel forks
- Full 6" lift height for transporting oversized pallets
- Ergonomically contoured hand grips for reduced operator fatigue
- 9 MPH maximum travel speed (electric units)

MATERIAL L	4 111	
PLATFORM HEIGHT	LOAD CAPACITY	0
12'	350 lbs.	-
18'	650 lbs.	61
21'	800 lbs.	-

Manually operated material lifts can hold up to 800 lbs. and are easy to maneuver and transport. They can be used as forklifts, dollys or hand trucks.

CHECK OUT OUR NEW & IMPROVED PARTS DEPARMENT



MOST MAJOR MANUFACTURERS











KAESER







Ssnorkel











































OEM & Aftermarket • Large Inventory Maintenance & Repair Parts **Emergency Parts Support** Competitive Pricing . Most Parts in Stock Batteries . Belts . Carburetors . Cylinders

Filter Kits . Glass . Electrical Components Engines & Engine Parts . Hoses Hydraulic Parts . Ignition Parts . Keys

Oil (Motor & Hydraulic) • Tires & Tracks

Undercarriage Parts • and MORE!



Call 1-800-DURANTE or email parts@duranterentals.com





SKID STEER AND TRACK LOADERS

Our large selection of skid steer (tires) and track loaders provide an outstanding blend of power and performance, durability, and operator comfort. Our tire and track machines are perfect for an array of earth-moving jobs as well as removing snow, loading trucks, unloading pallets, road and bridgework.

TS50R	
OPERATING	LIFT
WEIGHT	CAPACITY
6,475 lbs.	1,500 lbs.



TS50V	
OPERATING WEIGHT	LIFT CAPACITY
6,981 lbs.	2,000 lbs.



TS70R	
OPERATING	LIFT
WEIGHT	CAPACITY
7,450 lbs.	2,000 lbs.



TS80R	
OPERATING WEIGHT	LIFT CAPACITY
7,950 lbs.	2,825 lbs.



TS80V	
OPERATING WEIGHT	LIFT CAPACITY
8,965 lbs.	3,500 lbs.



TL6R	
OPERATING	LIFT
WEIGHT	CAPACITY
7,480 lbs.	1,841 lbs.



TL8	
OPERATING	LIFT
WEIGHT	CAPACITY
8,455 lbs.	2,105 lbs.



TL10V2	
OPERATING WEIGHT	LIFT CAPACITY
9,950 lbs.	2,522 lbs.



TL12R2	
OPERATING WEIGHT	LIFT CAPACITY
12,300 lbs.	2,975 lbs.



TL12V2	
OPERATING WEIGHT	LIFT CAPACITY
12,705 lbs.	4,107 lbs.



DURANTE RENTALS S: FETY T; S: AVOID FINES, PREVENT SHUTDOWNS & INCREASE JOB-SITE SAFETY

COLLECT ALL FOUR CARDS TODAY!



FORKLIFT



EARTHMOVING

AERIAL/MEWP



TELEHANDLER

NOW OFFERING VIRTUAL ONLINE CLASSES

MEWP LIFT TRAINING 3-4 HOUR COURSE

Certifications for Scissor Lifts, Aerial Work Platforms, Self-Propelled Booms & Towable Booms, OSHA / ANSI Compliant. Compliance Law: OSHA 1926.453 / ANSI A92.2-1969

FORKLIFT TRAINING 3-4 HOUR COURSE

Certifications for Industrial Forklifts, Pallet Jacks, Stand-Up Forklifts & Electric Forklifts, OSHA compliant. Compliance Law: OSHA 1910.178

TELEHANDLER TRAINING 5-6 HOUR COURSE

Certifications for Rough Terrain Forklifts, Lulls, Telehandlers, Rotating Telehandlers & Additional Class 7 Equipment, OSHA compliant. Compliance Law: ASME B56.1/OSHA 1910.178

EXCAVATOR/BACKHOE TRAINING 3-4 HOUR COURSE

Certifications for Excavators, Hybrid Excavators, Backhoes, Compact Utility Tractors, OSHA compliant. Compliance Law: OSHA CFR 1926.21

TRACK/SKID LOADER TRAINING 3 - 4 HOUR COURSE

Certifications for Skid Steers, Track Loaders, Wheel Loaders, Compact Track Loaders, OSHA compliant. Compliance Law: OSHA CFR 1926.1427

Email Training Inquires to: Training@DuranteRentals.com

ALL TRAINING COURSES ARE OSHA/ANSI APPROVED WEEKEND CLASSES AVAILABLE • SE HABLA ESPANOL



TOOLS & ACCESSORIES TO GET THE JOB DONE RIGHT

Our locations are fully stocked with all the latest tools and accessories you're looking for. Get everything you need in one stop. Save time. Save money.



5 GALLON OILS

Motor or Hydraulic



ABRASIVE BLADES

● 14" Concrete, metal, or ductile



AIR HOSES

Assortment of sizes



ASPHALT CUTTERS

● 1 1/8" - 1 1/4"



BATTERIES

Assortment of types



CARBIDE ROCK BITS

● 1 ³/₈" - 3"



CHAINSAW ACCESSORIES

Chain Loops & Guide Bars



CHISELS & SDS POINTS

● Up to 1 1/4"



CORE DRILL BITS

Wet & dry diamond core bits



DEBRIS CHUTES

43" tall with 20" diameter



DIAMOND BLADES

● 12" – 36" diamond blades



FILTER KITS

● Air, Oil, Gas & Hydraulic



OIL & FUEL MIX

● 2.6 oz, 6.4 oz, 12.8 oz, or 1 gt



RIVET BUSTERS

● 8", or 11"



SAFETY

• 5-Point safety harness



SDS MAX BITS

All sizes up to 36"



TRACKS & TIRES

Assortment of types and sizes



TROWEL BLADES

• 36" or 48" Float, Finish & Combo



WATER HOSES

Assortment of sizes



WHIP CHECKS

● 1/2" - 3"

TRAFFIC SAFETY EQUIPMENT

Protect your workers, drivers, pedestrians, and infrastructure with our road construction safety equipment. Convey important information like traffic conditions, changing traffic patterns, and weather emergencies while diverting traffic away from potentially hazardous road conditions.



LIGHT TOWERS

- Choice of diesel or solar powered units
- Solar units equipped with 4 LED lamps at 208W each
- Pintle tow hitch included for easy transport
- Zero noise (solar models); low noise (diesel models)
- Runtime: 50-90 hours per tank (diesel); 20-30 hours per charge (solar)
- Diesel-equipped with 6kW or 7.5 kW generators; 4 halide lamps at 1000W or 1,250W each



TRAFFIC BARRELS, DELINEATORS, AND CONES

- 28" orange traffic cones
- 42" orange traffic barrels with rubber base
- 42" orange delineators with rubber base
- Reflective stripes for maximum visibility
- High-density polyethylene construction
- Ask about bulk order quantity discounts



ARROW BOARDS AND VMS MESSAGE BOARDS

- Live Remote Video Monitoring
- Powered by solar panels and deep-cycle batteries
- Bright full-matrix LED displays
- Change messages remotely from PC or smart phone
- Trailer-mounted for quick and easy transport
- All models meet U.S. Federal Highway Standards for flashing arrow panels



WATER BARRIERS

- Your choice of white or orange colors
- Link multiple barriers with included quick attach swivel pin
- Fill with either water or sand for added weight
- Constructed of high-density polyethylene materials
- L 72" x W 24" x H 36" and 70 lbs. each
- 53" high, 72" wide fence toppers also available for rent

UTILITY VEHICLES

Our utility vehicles can tackle any task or terrain while quickly and comfortably transporting your crew around the jobsite. Choose between 2-passenger or 6-passenger crew cab models.





6-SEAT CREW CAB AWD UTILITY VEHICLES (DIESEL)

LOAD CAPACITY	ENGINE	HORSEPOWER
4.500.11	4.6: 1.5: 1	44115

1,500 lbs. 4-Stroke Diesel 44 HP

- Seating and comfort for six passengers, with adjustable suspension to maintain clearance when fully loaded
- 10.5" ground clearance to help navigate rough terrain
- Powerful headlights for work after hours
- On-demand All Wheel Drive for optimal traction
- VersaTrac Turf mode for tight turns that won't tear up lawn



2-SEAT AWD UTILITY VEHICLES (GAS)


LOAD
CAPACITY
ENGINE HORSEPOWER

1,000 lbs.

4-Stroke Gas

31 HP

- Comfortably seats up to two passengers
- Steel frame with full length skid plate
- 1,000 lbs. payload capacity
- 1,500 lbs. towing capacity
- Selectable 4X2 / AWD options



dust control, equipment cleaning,

landscaping and more.

MOBILE WATER TRAILER

- Perfect for dust control, equipment cleaning, landscaping, and emergency fire-fighting
- Durable polyurethane tank with 525 gallon capacity
- Equipped with DOT approved double axle trailer for safe towing and braking
- Quick fill with 2" diameter steel pipe or vented 12" diameter fill port

PIPE INSPECTION CAMERAS





- Inspect a variety of pipeline problems 3" 10"
- One-touch USB recording


PLUMBING SNAKES

- Designed for heavy duty clogs for 11/4" 3" drains
- 1/2" x 75' galvanized aircraft wire inner core cable
- Heavy duty 1/3 HP Baldor motor
- Handle folds down for easy transport & storage
- Easy-to-use air operated foot switch allows the use of both hands when working with cable



- POWER WASHERS
- Hot or cold water options
- Up to 4,000 psi applicable for a variety of industrial applications
- Pressure and high limit safety controls with diagnostic board
- Performance-proven Honda OHV engines with recoil start
- Multiple adjustable pressure nozzles







- Ideal for dewatering mud slurries and seepage areas
- Designed to handle solids up to 1 3/4"
- 3" suction and discharge diameter
- Straight-through water flow design for less blockages
- Light-weight with rubber wheels for easy transportation
- Aluminum alloy body with heavy-duty pump diaphragm

TRASH PUMPS

- Heavy-duty 2", 3" and 4" trash water high-volume units
- 185 gallon/minute capacity (2"); 317 gallon/ minute capacity (3")
- Solid handling capability up to 13/16" (2"); 1 1/16" (3")
- Equipped with easy-start, durable, Honda GX **OHV** engines

SUB PUMPS

- Perfect for moving water in confined and open area applications
- Powerful, versatile, low maintenance pump
- Great for contractors, service utilities, homeowners and more
- 1.0 HP with built-in overload protection
- Pumps liquid up to 120° F with a total head of 47'

WATERPUMPS

- Quickly removes all types of clear water with limited solids
- Superior performance in a lightweight package
- Perfect for construction, municipal, and agricultural jobs
- Maximum pumping capacity of 245 gallons per minute
- Maximum head of 98' and maximum lift of 25'







145 Huguenot Street, Suite 406 New Rochelle, NY 10801

LOCATIONS THROUGHOUT THE TRI-STATE AND DELAWARE AREA

ASTORIA

19-41 42nd Street Astoria, NY 11105 P. 718.697.6969

CARMEL

81 Commerce Drive Carmel, NY 10512 P. 845.456.6969

BRONX

717 Hutchinson River Parkway Bronx, NY 10465 P. 718.239.6969

NEW CASTLE

325 Quigley Blvd New Castle, DE 19720 P. 302.276.0057

SMYRNA

5722 Dupont Parkway Smyrna, DE 19977 P. 302.653.7562

HASBROUCK HEIGHTS, NJ

50-54 NJ-17 Hasbrouck Heights, NJ 07604 P. 201.720.6969

WEST NYACK

78 NY-303 West Nyack, NY 10994 P. 845.713.6969

GEORGETOWN

25113 Dupont Blvd Georgetown, DE 19947 P. 302.856.7545

DELMAR

36393 Sussex Hwy Delmar, DE 19940 P. 302.556.3250

COMPANY-WIDE HOURS OF OPERATION

Monday - Friday 7AM - 5PM



CONTACT US

- C 1-800-DURANTE
- Duranterentals.com
- in Durante-rentals-llc
- Ourante_Rentals
- DuranteRentals

Not responsible for typographical errors. Products, descriptions, pictures, hours and specifications may vary from actual units. Prices subject to change without notice.